Bonadio & Co., LLP Certified Public Accountants

March 28, 2023

To the Board of Directors of Oneida County Local Development Corporation

In planning and performing our audit of the financial statements of Oneida County Local Development Corporation (the Corporation) as of and for the year ended December 31, 2022, in accordance with auditing standards generally accepted in the United States of America, we considered the Corporation's internal control over financial reporting (internal control) as a basis for designing our auditing procedures for the purpose of expressing our opinion on the financial statements, but not for the purpose of expressing an opinion on the effectiveness of the Corporation's internal control. Accordingly, we do not express an opinion on the effectiveness of the Corporation's internal control.

A deficiency in internal control exists when the design or operation of a control does not allow management or employees, in the normal course of performing their assigned functions, to prevent, or detect and correct, misstatements on a timely basis. A material weakness is a deficiency, or combination of deficiencies in internal control, such that there is a reasonable possibility that a material misstatement of the Corporation's financial statements will not be prevented, or detected and corrected, on a timely basis.

Our consideration of internal control was for the limited purpose described in the first paragraph and was not designed to identify all deficiencies in internal control that might be material weaknesses or significant deficiencies and, therefore, material weaknesses or significant deficiencies may exist that were not identified.

Our consideration of internal control was for the limited purposed described in the first paragraph and was not designed to identity all deficiencies in internal control that might be material weaknesses. Given these limitations, during out audit we did not identify any deficiencies in internal control that we consider to be material weaknesses. However, material weaknesses may exist that have not been identified.

* * * * * * *

This communication is intended solely for the information and use of management, board of directors, and others within the Corporation, and is not intended to be and should not be used by anyone other than those specified parties.

432 North Franklin Street, #60 Syracuse, New York 13204 p (315) 476-4004 f (315) 254-2384

www.bonadio.com